



GREENBLUM & BERNSTEIN, P.L.C.
Intellectual Property Causes
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

ITW

Attorney Docket No. P24049

In re application of : D. NAGAYASU et al.

Application No. : 10/700,826

Filed : November 5, 2003

For : WATERPROOF ELECTRICAL CONNECTOR

Mail Stop Amendment

Group Art Unit: 2839

Examiner: Thanh-Tam T. LE

Mail Stop Amendment

Commissioner for Patents

U.S. Patent and Trademark Office

220 20th Street S.

Customer Window

Crystal Plaza Two, Lobby, Room 1B03

Arlington, VA 22202

Sir:

Transmitted herewith is an **Election with Traverse** in the above-captioned application.

_____ Small Entity Status of this application under 37 C.F.R. 1.9 and 1.27 has been established by a previously filed statement.

_____ A verified statement to establish small entity status under 37 C.F.R. 1.9 and 1.27 is enclosed.

_____ A Request for Extension of Time.

☒ No additional fee is required.

The fee has been calculated as shown below:

Claims After Amendment	No. Claims Previously Paid For	Present Extra	Small Entity		Other Than A Small Entity	
			Rate	Fee	Rate	Fee
Total Claims: 28	*28	0	x 9=	\$	x 18=	\$0.00
Indep. Claims: 6	**6	0	x 43=	\$	x 86=	\$0.00
Multiple Dependent Claims Presented			+145=	\$	+290=	\$0.00
Extension Fees for ____ Month(s)				\$		\$0.00
Total:				\$	Total:	\$0.00

* If less than 20, write 20

** If less than 3, write 3


_____ Please charge my Deposit Account No. 19-0089 in the amount of \$_____.

N/A A check in the amount of \$_____ to cover the *filing/extension* fee is included.

☒ The U.S. Patent and Trademark Office is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 19-0089.

☒ Any additional filing fees required under 37 C.F.R. 1.16.

☒ Any patent application processing fees under 37 C.F.R. 1.17, including any required extension of time fees in any concurrent or future reply requiring a petition for extension of time for its timely submission (37 C.F.R. 1.136(a)(3)).


Bruce H. Bernstein
Reg. No. 29,027

P24049.A03



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Daiki NAGAYASU et al.

Art Unit: 2839

Appln. No.: 10/700,826

Examiner: Thanh-Tam T. LE

Filed: November 5, 2003

For: WATERPROOF ELECTRICAL CONNECTOR

RESPONSE TO ELECTION REQUIREMENT WITH TRAVERSE

Commissioner for Patents
U.S. Patent and Trademark Office
220 20th Street S.
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

In response to the Examiner's Election Requirement of August 25, 2004, setting a one month period for response to extend until September 27, 2004 (September 25, 2004 falling on a Saturday), Applicants elect Species I (the embodiment shown in Figs. 1-5) with traverse for the reasons expressed below. Claims 1-5, 23 and 24 are considered to be "readable" on the Species I, and at least claim 23 is considered to be generic by the Applicants.